

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/04/2015

Reviewed on 06/04/2015

1 Identification

- **Product identifier**
- **Trade name:** Neon Foam Polish (Triple Foam Polish)
- **Article number:** *NFP*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Superior Solutions
3991 Hwy 171
DeRidder, LA 70634
- **Information department:** (337) 794-1829
- **Emergency telephone number:**
Chemtrec 1-800-424-9300, CCN 726066 or 1-703-527-3887 (collect calls accepted)

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- **Label elements**

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS05 GHS08

- **Signal word** *Danger*

- **Hazard-determining components of labeling:**

Sodium Dodecyl Benzene Sulfonate
glutaral

- **Hazard statements**

Causes skin irritation.

Causes serious eye damage.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

- **Precautionary statements**

If medical advice is needed, have product container or label at hand.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/04/2015

Reviewed on 06/04/2015

Trade name: Neon Foam Polish (Triple Foam Polish)

(Contd. of page 1)

Keep out of reach of children.

Read label before use.

Wear respiratory protection.

Avoid breathing dust/fume/gas/mist/vapors/spray

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 2

Fire = 0

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = *2

Fire = 0

Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Substances**

· **CAS No. Description**

Non-Hazardous ingredient

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

68081-81-2	Sodium Dodecyl Benzene Sulfonate	2.5-10%
111-76-2	2-butoxyethanol	2.5-10%
111-30-8	glutaral	2.5-10%
68002-97-1	C10-16, alcohols ethoxylated	≤ 2.5%

4 First-aid measures

· **Description of first aid measures**

· **General information:** Immediately remove any clothing soiled by the product.

· **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:**

Remove contact lenses if able to do so.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:**

Do not induce vomiting; immediately call for medical help.

Rinse out mouth and then drink plenty of water.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/04/2015

Reviewed on 06/04/2015

Trade name: Neon Foam Polish (Triple Foam Polish)

(Contd. of page 2)

- A person vomiting while lying on their back should be turned onto their side.*
- **Most important symptoms and effects, both acute and delayed**
 - Asthma attacks*
 - Allergic reactions*
 - Nausea*
 - Gastric or intestinal disorders*
 - Cramp*
- **Danger** *Large doses may result in red blood cell hemolysis.*
- **Indication of any immediate medical attention and special treatment needed**
 - Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible.*
 - Medical supervision for at least 48 hours.*
 - Treat skin and mucous membrane with antihistamine and corticoid preparations.*

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
 - CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.*
- **Special hazards arising from the substance or mixture** *No further relevant information available.*
- **Advice for firefighters**
- **Protective equipment:** *No special measures required.*

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** *Not required.*
- **Environmental precautions:**
 - Do not allow product to reach sewage system or any water course.*
 - Inform respective authorities in case of seepage into water course or sewage system.*
 - Do not allow to enter sewers/ surface or ground water.*
- **Methods and material for containment and cleaning up:** *Pick up mechanically.*
- **Reference to other sections**
 - See Section 7 for information on safe handling.*
 - See Section 8 for information on personal protection equipment.*
 - See Section 13 for disposal information.*

7 Handling and storage

- **Precautions for safe handling** *No special precautions are necessary if used correctly.*
- **Information about protection against explosions and fires:** *No special measures required.*
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
 - **Requirements to be met by storerooms and receptacles:** *No special requirements.*
 - **Information about storage in one common storage facility:** *Store away from foodstuffs.*
 - **Further information about storage conditions:** *Keep receptacle tightly sealed.*
- **Specific end use(s)** *No further relevant information available.*

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** *No further data; see item 7.*

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/04/2015

Reviewed on 06/04/2015

Trade name: Neon Foam Polish (Triple Foam Polish)

(Contd. of page 3)

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

111-76-2 2-butoxyethanol

PEL	Long-term value: 240 mg/m ³ , 50 ppm Skin
REL	Long-term value: 24 mg/m ³ , 5 ppm Skin
TLV	Long-term value: 97 mg/m ³ , 20 ppm BEI

111-30-8 glutaral

REL	Ceiling limit value: 0.8 mg/m ³ , 0.2 ppm See Pocket Guide App. C
TLV	Ceiling limit value: 0.2 mg/m ³ , 0.05 ppm (SEN) NIC-DSEN;RSEN ;activated or inactivated

· **Ingredients with biological limit values:**

111-76-2 2-butoxyethanol

BEI	200 mg/g creatinine Medium: urine Time: end of shift Parameter: Butoxyacetic acid with hydrolysis
-----	--

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the skin.
- Avoid contact with the eyes and skin.

· **Breathing equipment:** Not required.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

- Neoprene gloves
- Nitrile rubber, NBR
- Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Not suitable are gloves made of the following materials:** Leather gloves

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/04/2015

Reviewed on 06/04/2015

Trade name: Neon Foam Polish (Triple Foam Polish)

(Contd. of page 4)

· **Eye protection:**



Tightly sealed goggles

· **Body protection:** Protective work clothing

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· Form:	Liquid
· Color:	Clear
· Odor:	Characteristic
· Odour threshold:	Not determined.

· **pH-value at 20 °C (68 °F):** 7.5-8.5

· **Change in condition**

· Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	100 °C (212 °F)

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not determined.

· **Ignition temperature:** 240 °C (464 °F)

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

· Lower:	Not determined.
· Upper:	Not determined.

· **Vapor pressure:** Not applicable.

· **Density at 20 °C (68 °F):** 1 g/cm³ (8.345 lbs/gal)

· **Relative density** Not determined.

· **Vapour density** Not applicable.

· **Evaporation rate** Not applicable.

· **Solubility in / Miscibility with**

· **Water:** Soluble.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

· Dynamic:	Not applicable.
· Kinematic:	Not applicable.

· **Solvent content:**

· Organic solvents:	6.1 %
· Water:	72.7 %
· VOC content:	6.1 %

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/04/2015

Reviewed on 06/04/2015

Trade name: Neon Foam Polish (Triple Foam Polish)

(Contd. of page 5)

- | | |
|--------------------------|--|
| Solids content: | 16.0 % |
| Other information | No further relevant information available. |

10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** Reacts with strong acids and oxidizing agents.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:**
 - Sulfur oxides (SO_x)
 - Carbon monoxide and carbon dioxide

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

111-30-8 glutaral

Oral	LD50	134 mg/kg (rat)
Dermal	LD50	2560 mg/kg (rabbit)

- **Primary irritant effect:**
 - **on the skin:** Irritant to skin and mucous membranes.
 - **on the eye:** Strong irritant with the danger of severe eye injury.
- **Sensitization:**
 - Sensitization possible through skin contact.
 - Sensitizing effect through inhalation is possible with prolonged exposure.
- **Additional toxicological information:**
 - The product shows the following dangers according to internally approved calculation methods for preparations: Irritant
- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

111-76-2	2-butoxyethanol	3
64-17-5	ethanol	1

- **NTP (National Toxicology Program)**

no ingredient above de minimis level is listed

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/04/2015

Reviewed on 06/04/2015

Trade name: Neon Foam Polish (Triple Foam Polish)

(Contd. of page 6)

- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Harmful to aquatic organisms
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· UN-Number	
· DOT	<i>Not regulated</i>
· UN proper shipping name	
· DOT	<i>Not regulated</i>
· Transport hazard class(es)	
· DOT	<i>Not applicable</i>
· Packing group	
· DOT	<i>Not applicable</i>
· Environmental hazards:	
· Marine pollutant:	<i>No</i>
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	<i>Not applicable.</i>
· UN "Model Regulation":	<i>Not regulated</i>

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/04/2015

Reviewed on 06/04/2015

Trade name: Neon Foam Polish (Triple Foam Polish)

(Contd. of page 7)

· **Section 313 (Specific toxic chemical listings):**

111-76-2	2-butoxyethanol
----------	-----------------

· **TSCA (Toxic Substances Control Act):**

68081-81-2	Sodium Dodecyl Benzene Sulfonate
------------	----------------------------------

111-76-2	2-butoxyethanol
----------	-----------------

111-30-8	glutaral
----------	----------

68585-34-2	Sodium Laureth Sulfate (sodium 2-(2-Dodecyloxyethoxy) ethyl sulfate)
------------	--

1300-72-7	sodium xylenesulphonate
-----------	-------------------------

68439-57-6	Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts
------------	---

68002-97-1	C10-16, alcohols ethoxylated
------------	------------------------------

64-02-8	tetrasodium ethylenediaminetetraacetate
---------	---

64-17-5	ethanol
---------	---------

7732-18-5	water, distilled, conductivity or of similar purity
-----------	---

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

64-17-5	ethanol
---------	---------

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

111-76-2	2-butoxyethanol	NL
----------	-----------------	----

· **TLV (Threshold Limit Value established by ACGIH)**

111-76-2	2-butoxyethanol	A3
----------	-----------------	----

111-30-8	glutaral	A4
----------	----------	----

64-17-5	ethanol	A3
---------	---------	----

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS05 GHS08

· **Signal word** *Danger*

· **Hazard-determining components of labeling:**

Sodium Dodecyl Benzene Sulfonate

glutaral

· **Hazard statements**

Causes skin irritation.

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/04/2015

Reviewed on 06/04/2015

Trade name: Neon Foam Polish (Triple Foam Polish)

(Contd. of page 8)

Causes serious eye damage.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Wear respiratory protection.

Avoid breathing dust/fume/gas/mist/vapors/spray

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: *A Chemical Safety Assessment has not been carried out.*

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 06/04/2015 / -

· Abbreviations and acronyms:

DOT: US Department of Transportation

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Resp. Sens. 1: Sensitisation - Respirat., Hazard Category 1

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1